


Dsub Overview

Amphenol Information Communications
and Commercial Products

≡ **FCi Basics**

Amphenol ICC

D-sub Product Series



Input Output Connectors – Dsub

Stamped and Formed Contacts

Product Features and Benefits

- Standards: DIN 41652 and MIL-C-24308 (Meet IEC60807)
- Current rating: 3A to 5A for stamped and formed contacts
- Operating Temp.: -55°C to +125°C; Durability: 200, 500+
- Orientation: Straight & Right Angle
- Termination: Solder tail, Press-fit, Pin-in-Paste / SMT (Reflow compatible) for board side; IDC, Solder cup, Crimp for cable side
- RoHS Compliant

Applications

Servo Drives, Test & Measurement Equipment, Access Control,
Smart Metering, Portable Device, VTS, Projectors

Cable Side		
Solder Cup	IDC Flat Ribbon	Crimp
Standard and High Density	Standard Density, Connector & Strain Relief	Standard Density, Housing & Contacts
SD: 9/15/25/37/50 AWG 20 HD: 15/26/44 AWG 24-28	9/15/25/37	SD: 9/15/25/37/50 AWG 20-28
		

Board Side

Solder Tail Straight	Solder Tail Right Angle	Press-fit Straight & Right Angle	Pin-in-Paste Straight	Pin-in-Paste Right Angle	SMT
Standard and High Density Standard and low profile	Standard and High Density	Standard Density Standard and low profile	Standard Density	Standard and High Density	Standard Density Std & Slim Type
SD: 9/15/25/37/50 Types: Frugal-D & Delta- D HD: 15/26/44	SD: 9/15/25/37/ 50 Eu Std:FP:10.4 Pitch:2.54 US Std:FP:8.08 Pitch:2.84 HD: 15/26/44	9/15/25/37/50 Eu Std, US Std, Eurostyle	SD: 9/15/25/37/50 Tray / T&E packaging	SD: 9/15/25/37 HD: 15/26/44 Tray / T&E packaging	9 way
Board locks, inserts, female screw locks (UNC, M3)	Board locks, brackets, inserts, female screw locks (UNC, M3)	Board locks, inserts, female screw locks (UNC, M3)	Pegs, inserts, posts, female screw locks (UNC, M3)	Board locks, inserts, female screw locks	Zero or low force insertion, inserts, female screw locks
					

Input Output Connectors – Dsub

Screw Machined Contacts

Product Features and Benefits

- Mil-C24308 standard interface & Meet IEC60807
- Current rating: 7.5A for screw machined signal contacts, 10A to 40A for power contacts
- Orientation: Straight & Right Angle
- Operating Temp.: -55°C to +125°C; Durability: 200, 500+, Mil grade
- Wide choices of Hoods and locking devices

Applications

Switching, Transmission & Data centre, Railway, Medical Devices, Avionics, Wind Mills



Industrial grade DP series (Std Density)

Solder cup, Solder tail Straight, R/A, Wire Wrap

9/15/25/37/50
Board locks, brackets, inserts, female screw
locks (UNC, M3)



Combo DW series Signal, Power and Coaxial Contact

Solder cup, Solder Tail Straight, R/A, Wire Wrap


2V2 to 36W4
Full Power & Combo layouts
Board locks, brackets, inserts, female screw
locks (UNC, M3)



Military Grade DM series (Std Density)

Solder cup, Crimp, Solder Tail Straight, R/A, Wire Wrap, Combo

9/15/25/37/50
5W1 to 36W4
HE501, HE 507, HE 508, M-24308



D series - Solder cup signal cable connector	P/N	Web URL	Description
	DE09P064TXLF	https://www.amphenol-icc.com/d-subminiature-de09p064txlf.html	D-SUB SOLDER CUP 9 WAY PIN
	DA15P064TXLF	https://www.amphenol-icc.com/d-subminiature-da15p064txlf.html	D-SUB SOLDER CUP 15 WAY PIN
	DB25P064TXLF	https://www.amphenol-icc.com/d-subminiature-db25p064txlf.html	D-SUB SOLDER CUP 25 WAY PIN
	DE09S064TLF	https://www.amphenol-icc.com/d-subminiature-de09s064tlf.html	D-SUB SOLDER CUP 9 WAY SOCKET
	DA15S064TLF	https://www.amphenol-icc.com/d-subminiature-da15s064tlf.html	D-SUB SOLDER CUP 15 WAY SOCKET
	DB25S064TLF	https://www.amphenol-icc.com/d-subminiature-db25s064tlf.html	D-SUB SOLDER CUP 25 WAY SOCKET
D series - Straight PCB solder connector	P/N	Web URL	Description
	DE09P364TXLF	https://www.amphenol-icc.com/d-subminiature-de09p364txlf.html	D-SUB straight Spill 9 WAY PIN
	DA15P364TXLF	https://www.amphenol-icc.com/d-subminiature-da15p364txlf.html	D-SUB straight Spill 15 WAY PIN
	DB25P364TXLF	https://www.amphenol-icc.com/d-subminiature-db25p364txlf.html	D-SUB straight Spill 25 WAY PIN
	DE09S364TLF	https://www.amphenol-icc.com/d-subminiature-de09s364tlf.html	D-SUB Straight Spill 9 WAY SOCKET
	DA15S364TLF	https://www.amphenol-icc.com/d-subminiature-da15s364tlf.html	D-SUB Straight Spill 15 WAY SOCKET
	DB25S364TLF	https://www.amphenol-icc.com/d-subminiature-db25s364tlf.html	D-SUB Straight Spill 25 WAY SOCKET
8656 series - Crimp signal cable connector	P/N	Web URL	Description
	865609PLTXLF	https://www.amphenol-icc.com/d-subminiature-865609pltxlf.html	D-SUB CRIMP CABLE CONNECTOR 9 WAY PIN
	865615PLTXLF	https://www.amphenol-icc.com/d-subminiature-865615pltxlf.html	D-SUB CRIMP CABLE CONNECTOR 15 WAY PIN
	865625PLTXLF	https://www.amphenol-icc.com/d-subminiature-865625pltxlf.html	D-SUB CRIMP CABLE CONNECTOR 25 WAY PIN
	865609SLTLF	https://www.amphenol-icc.com/d-subminiature-865609sltlf.html	D-SUB CRIMP CABLE CONNECTOR 9 WAY SOCKET
	865615SLTLF	https://www.amphenol-icc.com/d-subminiature-865615sltlf.html	D-SUB CRIMP CABLE CONNECTOR 15 WAY SOCKET
	865625SLTLF	https://www.amphenol-icc.com/d-subminiature-865625sltlf.html	D-SUB CRIMP CABLE CONNECTOR 25 WAY SOCKET
	86564520064LF	https://www.amphenol-icc.com/d-subminiature-86564520064lf.html	D-SUB CRIMP PIN CONTACTS 20/24 AWG
	86566520064LF	https://www.amphenol-icc.com/d-subminiature-86566520064lf.html	D-SUB CRIMP SOCKET CONTACTS 20/24 AWG
Delta D Angle Solder	P/N	Web URL	Description
	US Std		
	D09P33E4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p33e4gv00lf.html	Delta D angle solder 9 way male with UNC4-40 female screw
	D15P33E4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p33e4gv00lf.html	Delta D angle solder 15 way male with UNC4-40 female screw
	D25P33E4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25p33e4gv00lf.html	Delta D angle solder 25 way male with UNC4-40 female screw
	D09S33E4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s33e4gv00lf.html	Delta D angle solder 9 way female with UNC4-40 female screw
	D15S33E4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s33e4gv00lf.html	Delta D angle solder 15 way female with UNC4-40 female screw
	D25S33E4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25s33e4gv00lf.html	Delta D angle solder 25 way female with UNC4-40 female screw
	D09P33E4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p33e4gx00lf.html	Delta D angle solder 9 way male with UNC4-40 threaded insert
	D15P33E4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p33e4gx00lf.html	Delta D angle solder 15 way male with UNC4-40 threaded insert
	D25P33E4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25p33e4gx00lf.html	Delta D angle solder 25 way male with UNC4-40 threaded insert
	D09S33E4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s33e4gx00lf.html	Delta D angle solder 9 way female with UNC4-40 threaded insert
	D15S33E4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s33e4gx00lf.html	Delta D angle solder 15 way female with UNC4-40 threaded insert
	D25S33E4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25s33e4gx00lf.html	Delta D angle solder 25 way female with UNC4-40 threaded insert
	Europe Std		
	D09P13A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p13a4gv00lf.html	Delta D angle solder 9 way male with UNC4-40 female screw
	D15P13A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p13a4gv00lf.html	Delta D angle solder 15 way male with UNC4-40 female screw
	D09S13A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s13a4gv00lf.html	Delta D angle solder 9 way female with UNC4-40 female screw
	D15S13A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s13a4gv00lf.html	Delta D angle solder 15 way female with UNC4-40 female screw
	D09P13A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p13a4gx00lf.html	Delta D angle solder 9 way male with UNC4-40 threaded insert
	D15P13A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p13a4gx00lf.html	Delta D angle solder 15 way male with UNC4-40 threaded insert
	D09S13A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s13a4gx00lf.html	Delta D angle solder 9 way female with UNC4-40 threaded insert
	D15S13A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s13a4gx00lf.html	Delta D angle solder 15 way female with UNC4-40 threaded insert

Dsub – Std PN Data (Contd.)

Delta D Straight Solder	P/N	Web URL	Description
	D09P24A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p24a4gv00	Delta D straight solder 9 way male with UNC4-40 female screw
	D15P24A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p24a4gv00	Delta D straight solder 15 way male with UNC4-40 female screw
	D25P24A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25p24a4gv00	Delta D straight solder 25 way male with UNC4-40 female screw
	D09S24A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s24a4gv00	Delta D straight solder 9 way female with UNC4-40 female screw
	D15S24A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s24a4gv00	Delta D straight solder 15 way female with UNC4-40 female screw
	D25S24A4GV00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25s24a4gv00	Delta D straight solder 25 way female with UNC4-40 female screw
	D09P24A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p24a4gx00	Delta D straight solder 9 way male with UNC4-40 threaded insert
	D15P24A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p24a4gx00	Delta D straight solder 15 way male with UNC4-40 threaded insert
	D25P24A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25p24a4gx00	Delta D straight solder 25 way male with UNC4-40 threaded insert
	D09S24A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s24a4gx00	Delta D straight solder 9 way female with UNC4-40 threaded insert
	D15S24A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s24a4gx00	Delta D straight solder 15 way female with UNC4-40 threaded insert
	D25S24A4GX00LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25s24a4gx00	Delta D straight solder 25 way female with UNC4-40 threaded insert
Dsub High density angle solder socket	P/N	Web URL	Description
	ICD15S13E4GV00LF	https://www.amphenol-icc.com/d-subminiature-high-density-icd15s13	High density Dsub angle solder 15 way socket with UNC 4-40 female screw
	ICD15S13E4GX00LF	https://www.amphenol-icc.com/d-subminiature-high-density-icd15s13	High density Dsub angle solder 15 way socket with UNC 4-40 threaded insert
	ICD26S13E4GV00LF	https://www.amphenol-icc.com/d-subminiature-high-density-icd26s13	High density Dsub angle solder 26 way socket with UNC 4-40 female screw
	ICD26S13E4GX00LF	https://www.amphenol-icc.com/d-subminiature-high-density-icd26s13	High density Dsub angle solder 26 way socket with UNC 4-40 threaded insert
	ICD44S13E4GV00LF	https://www.amphenol-icc.com/d-subminiature-high-density-icd44s13	High density Dsub angle solder 44 way socket with UNC 4-40 female screw
	ICD44S13E4GX00LF	https://www.amphenol-icc.com/d-subminiature-high-density-icd44s13	High density Dsub angle solder 44 way socket with UNC 4-40 threaded insert
Dsub SMT Right angle socket	P/N	Web URL	Description
	D09S70S6PX00LF		Signal 9 way, UNC 4-40 threaded insert + Electrical continuity, Tray
	D09S70S6UX12LF	https://www.amphenol-icc.com/d-subminiature-smt-d09s70s6ux12lf.h	Signal 9 way, UNC 4-40 threaded insert + Electrical continuity, Tape and Reel
	D09S70S6UL12LF	https://www.amphenol-icc.com/d-subminiature-smt-d09s70s6ul12lf.ht	Signal 9 way, M3 threaded insert + Electrical continuity, Tape and Reel
	D09S70S6UV12LF	https://www.amphenol-icc.com/d-subminiature-smt-d09s70s6uv12lf.h	Signal 9 way, UNC 4-40 female screw + Electrical continuity, Tape and Reel
Dsub Slimline Right angle plug	P/N	Web URL	Description
	D09P71S6GA00LF	https://www.amphenol-icc.com/d-subminiature-smt-d09p71s6ga00lf.h	Signal 9 way, Harpoons + Standard hole + Electrical continuity, Tray
	D09P71S6GA12LF	https://www.amphenol-icc.com/d-subminiature-smt-d09p71s6ga12lf.h	Signal 9 way, Harpoons + Standard hole + Electrical continuity, Tape & Reel
	D09P71S6GX12LF	https://www.amphenol-icc.com/d-subminiature-smt-d09p71s6gx12lf.h	Signal 9 way, Harpoons + UNC 4-40 Threaded insert + Electrical continuity, Tape & Reel
	D09P71S6GL12LF	https://www.amphenol-icc.com/d-subminiature-smt-d09p71s6gl12lf.ht	Signal 9 way, Harpoons + M3 Threaded insert + Electrical continuity, Tape & Reel

Dsub – Std PN Data (Contd.)

Delta D pin in paste	P/N	Web URL	Description
	D09P24A6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p24a6rv09	Delta D PIP straight solder 9 way male with UNC4-40 female screw in tray pkg
	D15P24A6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p24a6rv09	Delta D PIP straight solder 15 way male with UNC4-40 female screw in tray pkg
	D25P24A6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25p24a6rv09	Delta D PIP straight solder 25 way male with UNC4-40 female screw in tray pkg
	D09S24A6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s24a6rv09	Delta D PIP straight solder 9 way female with UNC4-40 female screw in tray pkg
	D15S24A6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s24a6rv09	Delta D PIP straight solder 15 way female with UNC4-40 female screw in tray pkg
	D25S24A6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25s24a6rv09	Delta D PIP straight solder 25 way female with UNC4-40 female screw in tray pkg
	D09P33E6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09p33e6rv09	Delta D PIP angle solder 9 way male with UNC4-40 female screw in tray pkg
	D15P33E6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15p33e6rv09	Delta D PIP angle solder 15 way male with UNC4-40 female screw in tray pkg
	D25P33E6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25p33e6rv09	Delta D PIP angle solder 25 way male with UNC4-40 female screw in tray pkg
	D09S33E6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d09s33e6rv09	Delta D PIP angle solder 9 way female with UNC4-40 female screw in tray pkg
	D15S33E6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d15s33e6rv09	Delta D PIP angle solder 15 way female with UNC4-40 female screw in tray pkg
	D25S33E6RV09LF	https://www.amphenol-icc.com/d-subminiature-delta-d-d25s33e6rv09	Delta D PIP angle solder 25 way female with UNC4-40 female screw in tray pkg
DW series - Hybrid D-Sub	P/N	Web URL	Description
	DE2V2SA00LF	https://www.amphenol-icc.com/d-subminiature-de2v2sa00lf.html	D-SUB FULL POWER 2V2 CODED (0+2) SOCKET
	DA7W2SA00LF	https://www.amphenol-icc.com/d-subminiature-da7w2sa00lf.html	D-SUB MIX POWER 7W2 (5+2) SOCKET
	DA3W3SA00LF	https://www.amphenol-icc.com/d-subminiature-da3w3sa00lf.html	D-SUB FULL POWER 3W3 (0+3) SOCKET
	DA3V3SA00LF	https://www.amphenol-icc.com/d-subminiature-da3v3sa00lf.html	D-SUB FULL POWER 3V3 CODED (0+3) SOCKET
	DB17W2SA00LF	https://www.amphenol-icc.com/d-subminiature-db17w2sa00lf.html	D-SUB MIX POWER 17W2 (15+2) SOCKET
	DB13W3SA00LF	https://www.amphenol-icc.com/d-subminiature-db13w3sa00lf.html	D-SUB MIX POWER 13W3 (10+3) SOCKET
	DB5W5SA00LF	https://www.amphenol-icc.com/d-subminiature-db5w5sa00lf.html	D-SUB FULL POWER 5W5 (0+5) SOCKET
	DC8W8SA00LF	https://www.amphenol-icc.com/d-subminiature-dc8w8sa00lf.html	D-SUB FULL POWER 8W8 (0+8) SOCKET
	DE2V2PA00LF	https://www.amphenol-icc.com/d-subminiature-de2v2pa00lf.html	D-SUB FULL POWER 2V2 CODED (0+2) PIN
	DA7W2PA00LF	https://www.amphenol-icc.com/d-subminiature-da7w2pa00lf.html	D-SUB MIX POWER 7W2 (5+2) PIN
	DA3W3PA00LF	https://www.amphenol-icc.com/d-subminiature-da3w3pa00lf.html	D-SUB FULL POWER 3W3 (0+3) PIN
	DB17W2PA00LF	https://www.amphenol-icc.com/d-subminiature-db17w2pa00lf.html	D-SUB MIX POWER 17W2 (15+2) PIN
	DB13W3PA00LF	https://www.amphenol-icc.com/d-subminiature-db13w3pa00lf.html	D-SUB MIX POWER 13W3 (10+3) PIN
DW series - Contacts for hybrid D-Sub	P/N	Web URL	Description
	8638PPS1005LF	https://www.amphenol-icc.com/d-subminiature-8638pps1005lf.html	D-SUB POWER PIN CONTACT SOLDER CUP 10 A
	8638PSS1005LF	https://www.amphenol-icc.com/d-subminiature-8638pps1005lf.html	D-SUB POWER SOCKET CONTACT SOLDER CUP 10 A
	8638PPS2005LF	https://www.amphenol-icc.com/d-subminiature-8638pps2005lf.html	D-SUB POWER PIN CONTACT SOLDER CUP 20 A
	8638PSS2005LF	https://www.amphenol-icc.com/d-subminiature-8638pps2005lf.html	D-SUB POWER SOCKET CONTACT SOLDER CUP 20 A
	8638PPS4005LF	https://www.amphenol-icc.com/d-subminiature-8638pps4005lf.html	D-SUB POWER PIN CONTACT SOLDER CUP 40 A
	8638PSS4005LF	https://www.amphenol-icc.com/d-subminiature-8638pps4005lf.html	D-SUB POWER SOCKET CONTACT SOLDER CUP 40 A
Connector hardware - Screw locks	P/N	Web URL	Description
	863001TLF	https://www.amphenol-icc.com/d-subminiature-863001tlf.html	Female screw lock M3 - D-sub connectors (4.6 + 8.3 mm)
	863001060TLF	https://www.amphenol-icc.com/d-subminiature-863001060tlf.html	Female screw lock UNC 4-40 - D-sub connectors (4.6 + 8.3 mm)
	863001061TLF	https://www.amphenol-icc.com/d-subminiature-863001061tlf.html	Female screw lock M3 - D-sub connectors (4.6 + 13.0 mm)
	863001018TLF	https://www.amphenol-icc.com/d-subminiature-863001018tlf.html	Female screw lock M3 - Delta D connectors (4.6 + 4.5 mm)
	863001019TLF	https://www.amphenol-icc.com/d-subminiature-863001019tlf.html	Female screw lock unc 4-40 - Delta D connectors (4.6 + 4.5 mm)
	863005ATLF	https://www.amphenol-icc.com/d-subminiature-863005atlf.html	Male screw lock UNC 4-40
D-Sub Backshells - Straight Metal Hood	P/N	Web URL	Description
	8655MH0901BLF	https://www.amphenol-icc.com/d-subminiature-8655mh0901blf.html	9 Way EMI/RFI D Hood with Jackscrews
	8655MH1501BLF	https://www.amphenol-icc.com/d-subminiature-8655mh1501blf.html	15 Way EMI/RFI D Hood with Jackscrews
	8655MH2501BLF	https://www.amphenol-icc.com/d-subminiature-8655mh2501blf.html	25 Way EMI/RFI D Hood with Jackscrews

Dsub – Std PN Data (Contd.)

D-Sub Backshells - Angle Exit Metal Hood	P/N	Web URL	Description
	8655MHRA0901LF	https://www.amphenol-icc.com/d-subminiature-8655mhra0901lf.html	9 Way EMI/RFI D Hood with Jackscrews Angled exit
	8655MHRA1501LF	https://www.amphenol-icc.com/d-subminiature-8655mhra1501lf.html	15 Way EMI/RFI D Hood with Jackscrews Angled exit
	8655MHRA2501LF	https://www.amphenol-icc.com/d-subminiature-8655mhra2501lf.html	25 Way EMI/RFI D Hood with Jackscrews Angled exit
D-Sub Backshells - Plastic Hood	P/N	Web URL	Description
	86303637BLF	https://www.amphenol-icc.com/d-subminiature-86303637blf.html	9 WAY PLASTIC D HOOD, SNAP-TOGETHER
	86303638BLF	https://www.amphenol-icc.com/d-subminiature-86303638blf.html	15 WAY PLASTIC D HOOD, SNAP-TOGETHER
	86303639BLF	https://www.amphenol-icc.com/d-subminiature-86303639blf.html	25 WAY PLASTIC D HOOD, SNAP-TOGETHER
Dsub Plastic Dust Caps	P/N	Web URL	Description
	70518CLF	https://www.amphenol-icc.com/d-subminiature-70518clf.html	D-sub red plastic cap for 9 way male connector
	70519CLF	https://www.amphenol-icc.com/d-subminiature-70519clf.html	D-sub red plastic cap for 15 way male connector
	70520CLF	https://www.amphenol-icc.com/d-subminiature-70520clf.html	D-sub red plastic cap for 25 way male connector
	70523CLF	https://www.amphenol-icc.com/d-subminiature-70523clf.html	D-sub red plastic cap for 9 way female connector
	70524CLF	https://www.amphenol-icc.com/d-subminiature-70524clf.html	D-sub red plastic cap for 15 way female connector
	70525CLF	https://www.amphenol-icc.com/d-subminiature-70525clf.html	D-sub red plastic cap for 25 way female connector
Lever locks	P/N	Web URL	Description
	86303425LF	https://www.amphenol-icc.com/d-sub-accessories-86303425lf.html	Dsub female lever lock, M3
	86303425060LF	https://www.amphenol-icc.com/d-sub-accessories-86303425060lf.html	Dsub female lever lock, UNC 4-40
	86552096LF	https://www.amphenol-icc.com/d-sub-accessories-86552096lf.html	Dsub male lever lock, M3
	86552098LF	https://www.amphenol-icc.com/d-sub-accessories-86552098lf.html	Dsub male lever lock, UNC 4-40
Universal hoods	P/N	Web URL	Description
	863093C09ALF	https://www.amphenol-icc.com/d-subminiature-863093c09alf.html	Dsub plastic hood 9 way
	863093C09MLF	https://www.amphenol-icc.com/d-subminiature-863093c09mlf.html	Dsub metallised plastic hood 9 way
	863093C15ALF	https://www.amphenol-icc.com/d-subminiature-863093c15alf.html	Dsub plastic hood 15 way
	863093C15MLF	https://www.amphenol-icc.com/d-subminiature-863093c15mlf.html	Dsub metallised plastic hood 15 way
	863093C25ALF	https://www.amphenol-icc.com/d-subminiature-863093c25alf.html	Dsub plastic hood 25 way
	863093C25MLF	https://www.amphenol-icc.com/d-subminiature-863093c25mlf.html	Dsub metallised plastic hood 25 way
Cobined Hoods	P/N	Web URL	Description
	8630CH09UNCLF	https://www.amphenol-icc.com/d-subminiature-8630ch09unclf.html	Combined hood 9 way UNC 4-40
	8630CH15UNCLF	https://www.amphenol-icc.com/d-subminiature-8630ch15unclf.html	Combined hood 15 way UNC 4-40
	8630CH25UNCLF	https://www.amphenol-icc.com/d-subminiature-8630ch25unclf.html	Combined hood 25 way UNC 4-40

Amphenol ICC

Thank you!

For any support please contact,
Tech.Support@amphenol-icc.com

<https://www.amphenol-icc.com/input-output-connectors/d-sub-connectors.html>