


PRODUCT NUMBER:



10148139-0XX LF



NOTES :

- 1 - HOUSING MATERIAL :
HIGH TEMPERATURE THERMOPLASTIC
COLOR BLACK
- 2 - PACKAGING : BLANK = BULK, PER SPAF0424
- 3 - CODING TRIANGLE INDICATES POS 1, WHEN MATED WITH
MINITEK HEADER 10148138
- 4 - FOR USE WITH MINITEK CRIMP TO WIRE CONTACT 77138
(26 - 30 AWG) AND 10044403 (22 - 26 AWG)
- 5 - PRODUCT SPECIFICATION AS PER GS-12-1470,
CONTACT CRIMP RECOMMENDATIONS AS PER GS-20-058.
- 6 - PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHERS
REGULATIONS AS DESCRIBED IN GS-22-008.
- 7 - THIS PRODUCT IS NOT INTENDED TO BE EXPOSED TO
MANUFACTURING SOLDER PROCESSES.

HIGHEST BALLOON INDEX NUMBER: 108
REMOVED BALLOON INDEX NUMBER:




SCALE 4:1

spec ref -		dr	Sawanth, Ambaa	2019/03/19	projection	mm	size	A3	scale	5:1	
tolerance std		eng	Detouillon, Da	2023/06/05			ecn no	ELX-F-48403-1			
ISO 406 ISO 1101		chr	-	-				rel level	Released		
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Lamy, Alexandr	2023/06/05	product family						
surface	linear	0.X	±0.3	Amphenol FCI	MINITEK HOUSING CTW 2MM		dwg no	10148139		rev	F
		0.XX	±0.10		MINITEK BLINDMATE						
		0.XXX	±0.005		cat. no.	-	Product - Customer Drw		sheet 1 of 3		
	angular	0°	±2°								


	Dim A	Dim B	Dim C	Dim D
6 POSITION	10.4	8.4	4	10.8
8 POSITION	10.4	8.4	6	10.8
10 POSITION	12.4	10.4	8	12.8
12 POSITION	14.4	12.4	10	14.8
14 POSITION	16.4	14.4	12	16.8
16 POSITION	18.4	16.4	14	18.8
18 POSITION	20.4	18.4	16	20.8
20 POSITION	22.4	20.4	18	22.8

INDICATES POSITION
see note 3





6 POSITION

INDICATES POSITION 1
see note 3




12 POSITION



RECOMMENDED PANEL LAYOUT

6 & 8 POSITION


SCALE 5:1



RECOMMENDED PANEL TOLERANCE ± 0.10
THICKNESS: 1.15 ± 0.10

10 TO 20 POSITION

SCALE 5:1



HIGHEST BALLOON INDEX NUMBER: 216
REMOVED BALLOON INDEX NUMBER: 202, 208


spec ref	-	dr	Sawanth, Ambaa	2019/03/19	projection	mm	size	A3	scale	5:1
tolerance std	ISO 406 ISO 1101	eng	Detouillon, Da	2023/06/05			ecn no	ELX-F-48403-1		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-			rel level	Released		
surface	linear	0.X	± 0.3	Amphenol FCI	product family	-	dwg no	10148139		
		0.XX	± 0.10		MINITEK HOUSING CTW 2MM	rev	F			
	angular	0°	$\pm 2^\circ$		MINITEK BLINDMATE	cat. no.	-	Product - Customer Drw	sheet 2 of 3	

A

B

A

B





C

D

C

D



Amphenol FCI

© 2020 Amphenol Corporation

spec ref	-	dr	Sawanth, Ambaa	2019/03/19	projection	mm	size	A3	scale	4:1
tolerance std	ISO 406 ISO 1101	eng	Detouillon, Da	2023/06/05			ecn no	ELX-F-48403-1		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	-	-			rel level	Released		
surface	linear	0.X	±0.3	Amphenol FCI	product family	-	rel level	Released		
		0.XX	±0.10		MINITEK HOUSING CTW 2MM	dwg no	10148139			
		0.XXX	±0.005		MINITEK BLINDMATE	rev	F			
ISO 1302	angular	0°	±2°	cat. no.	-	Product - Customer Drw	sheet 3 of 3			